



**First Meeting of Arachnologists in the Caucasus,
March 2021**

**On the Cheiracanthiidae Wagner, 1887,
Eresidae C. L. Koch, 1845, Gnaphosidae
Pocock, 1898 and Pholcidae C. L. Koch,
1850 (Araneae) of Armenia**

Noushig Zarikian

NAS RA Scientific Center Of Hydroecology And Zoology Institute, Armenia



ARANEÆ A DRE G. HORVÁTH IN BESSARABIA,
CHERSONESO TAURICO, TRANSCAUCASIA ET ARMENIA RUSSICA
COLLECTÆ.

A LADISLAO KULCZYNSKY, Professore Cracoviensi, conscriptæ.

Tab. I.

Dominus G. HORVÁTH, director stationis entomologicæ Regni Hungariæ, anno 1893. mensibus Maio et Junio, ex invitatione Gubernaculi, iter ad varias Russiæ meridionalis Caucasique regiones suscipiens, Insectis Arachnidisque colligendis sedulo navavit operam, Arachnidasque adlatas benevole mihi commisit lustrandas.

ATTIDÆ.*

1. *Salticus formicarius* (DE GEER). *Transcauc.*: Gelati, 28. V. mas adult., Kutais, exemplum non adultum; *Armenia*: Tshubuhli, exempl. non adult., probabiliter huius speciei.

2. *Heliophanus cupreus* (WALCK.). *Bessarabia*: Kobilka, 17. V. mas

AMERICAN MUSEUM *Novitates*

PUBLISHED BY THE AMERICAN MUSEUM OF NATURAL HISTORY
CENTRAL PARK WEST AT 79TH STREET, NEW YORK, N.Y. 10024
Number 3095, 27 pp., 90 figures, 4 maps May 19, 1966

A Review of the Ground Spider Genus *Synphosus* (Araneae, Gnaphosidae)

VLADIMIR I. OVTSHARENKO,¹ GERSHOM LEVY,²
AND NORMAN I. PLATNICK³

Contribution to the spider fauna of the genus *Micaria* Westring, 1851 of the USSR. I

(Aranei, Gnaphosidae)

By K. G. Mikhailov

Abstract

Faunistical data on 22 *Micaria* species are presented, two of them being described as new: *M. tarabaevi* spec. nov. (male), *M. aborigenica* spec. nov. (female). New synonymy is established: *M. centrocnemis* Kulczyński, 1885 = *M. rossica* Thorell, 1875; *Micariolepis similis* Tyshchenko, 1965 = *Micaria dives* Lucas, 1846. *Micaria kopetdaghensis* Michailov, 1986 is redescribed, its female is described for the first time.

Twenty species of the genus *Micaria* (including *Micariolepis*) have hitherto been reported from the USSR (Gubareva, 1933, 1934, 1954; Tyshchenko, 1965; Gubanov, 1966; Mikhailov, 1986).

lov K.G.

лов К.Г.

f the spiders

a, Aranei) of
s of the former
. Addendum 3.

г пауков

inei) территорий


бывшего Советского Союза.
Дополнение 3.

Moscow — Москва
2000

A REVIEW OF THE NORTH ASIAN GROUND SPIDERS OF THE GENUS *GNAPHOSA* (ARANEAE, GNAPHOSIDAE)

VLADIMIR I. OVTSHARENKO, NORMAN I. PLATNICK,
AND D. X. SONG

Record Map:



Family: : Eresidae

Genus: : [Stegodyphus](#)

Distribution:

Armenia

Azerbaijan

Abundance:

common species,

11 record(s)

Determination Link:



#	ORIGINAL RECORDS	LOCATION	PUBLICATION	COMMENT
1.	<i>Stegodyphus lineatus</i> on Apsheron Peninsula	Apsheron Peninsula	Guseinov (1999b)	
2.	31450: <i>Stegodyphus lineatus</i>	Apsheron Peninsula	Dunin (1984)	
3.	39914: <i>Stegodyphus lineatus</i>	Dilizhan	Dunin (1988a)	
4.	39913: <i>Stegodyphus lineatus</i>	Mingetshaur	Dunin (1988a)	

9. *Stegodyphus lineatus* (Latreille, 1871).

Р а с п р о с т р а н е н и е. Средиземноморье, Южная Африка, Южная и Юго-Восточная Азия, в СССР — юг Средней Азии и Восточное Закавказье.

492

Тыщенко (1971) писал о возможности нахождения этого вида в Закавказье. Ранее в Азербайджане отмечался на Апшеронском п-ове (Дунин, 1984; Ненилин, Пестова, 1986). В Азербайджане встречается в районах с полупустынным, сухостепным и фриганоидным типом растительности, от низменностей до среднегорий (до 1400 м). Обитает на высоких травах и кустарничках, где самка плетет логовище-трубку. В сборах пауков, хранящихся в коллекционных фондах Института зоологии АН АзССР (Баку), имеется полтора десятка экземпляров этого вида, собранных А. Богачевым в различных районах Азербайджана. Один экземпляр был определен Д. Харитоновым, который, однако, нигде не упоминает о нахождении *S. lineatus* в Азербайджане.

М а т е р и а л. 7 ♀, Азербайджанская ССР, Ханларский р-н, Эльдар, пос. Пойлу, 9 V 1935; 1 ♀, пос. Пойлу, 20 V 1935; 1 ♀, Эльдар, пос. Самух, 4 VI 1935; 1 ♀, Лерикский р-н, Зуванд, с. Ивери, ? V 1936; 1 ♀, Шекинский р-н, степь Турут, 29 VI 1940; 1 ♀, Мингечаур, 6 VII 1946 (сборы А. Богачева); 1 ♀, Апшеронский п-ов, с. Гюздек, 7 VI 1976; 1 ♀, Гобустанский заповедник, 50 км ЮЗ Баку, 6 IX 1983; 5 ♀, Лерикский р-н, с. Дигях, 3 VII 1985.



AN ANNOTATED CHECKLIST OF SPIDERS DEPOSITED IN THE ARACHNIDA COLLECTION OF THE INSTITUTE OF ZOOLOGY, SCIENTIFIC CENTER OF ZOOLOGY AND HYDROECOLOGY OF THE NAS RA, YEREVAN, ARMENIA. PART I

Zarikian NA & Kalashian MY (2021)

An annotated checklist of spiders deposited in the Arachnida collection of the Institute of Zoology,
Scientific Center of Zoology and Hydroecology of the NAS RA, Yerevan, Armenia. Part I


Kommentierte Checkliste der Spinnentiersammlung des Institute of Zoology, Scientific Center of
Zoology and Hydroecology of NAS RA, Jerewan, Armenien. Teil I

Heft 61, 11-19

[Download PDF](#)

[10.30963/aramit6102](#)

Keywords: Araneae, Caucasus, country list, new records






Family Gnaphosidae


***Drassodes lapidosus* (Walckenaer, 1802)**

Ara Ler, Aragatsotn province, 2 ♀♀, 20.06.2020,
Alibek, Kotayk province, 1 ♀, 18.07.2020,
Geghadir, Kotayk province, 1 ♀, 18.04.20



***Micaria coarctata* (Lucas, 1846)**


Noravank, Vayots dzor province, 1 ♀, 13.06.2020.



Family Cheiracanthiidae Wagner, 1887

Cheiracanthium erraticum (Walck., 1802)


Sevut, Ararat province, 1♂, 16.05.2020.



Family Pholcidae C. L. Koch, 1850



Holocnemus pluchei (Scopoli, 1763)

Chambarak, Gegharkunik, 1 ♂, 21.09.2020.



Pholcus alticeps Spassky, 1932


Chambarak, Gegharkunik, 1 ♂, 07.09.2020.



Family Eresidae C. L. Koch, 1845

Eresus kollari Rossi, 1846

Material: Ara Ler, Aragatsotn province, 2♂♂
08.11.2019.





???



Thank you

